

EXCEL AUTOTOWEL

Manual Paper Dispenser



The Excel Autotowel is a stylish paper towel dispensing system to compliment the rest of the EXCEL Range. It is made from Grade 304 1.2mm brushed stainless steel finish and carries a 5 year warranty. This is a manual dispensing unit which is perfect in today's green friendly lifestyle. No need for batteries or electricity means that there is less pollution to our environment.

FEATURES

- Made from Grade 304 1.2mm brushed stainless steel
- No need for batteries or electricity
- Less pollution to our environment
- Fits 5 different types of paper

SCHEMATIC

340mm 220mm

SPECIFICATIONS

Dimensions:380mm x 340mm x 220mm

CONSUMABLES

PAPER REFILLS

- 100 Meter Laminate Paper 2ply
- 125 Meter Laminate Paper 2ply
- 150 Meter Laminate Paper 1ply
- 250 Meter Maxi Roll Paper250
- Meter Blue Maxi Roll Paper
- Highly Absorptive



CONTACT DETAILS







EXCEL WASTECARE

Paper Waste Bin

The Excel Wastecare Bin compliments the exciting Excel product range. The unit is wall mounted and has a unique hook system for the liner to be installed to give this waste bin a liner-less look and feel. The bin has a 20 litre capacity and is made from grade 304 brushed stainless steel.


FEATURES


- Removable chute
- Wastecare bin is available in a large and small bin
- Wall mounted
- Built in liners
- Lockable mechanism and compactor

SPECIFICATIONS

- Large Dimensions: 460mm x 375mm x 207mm
- Small Dimensions: 385mm x 320mm x 200mm

SCHEMATIC





CONSUMABLES

LINER REFILLS

25 perforated liners are installed inside the bin for ease of use and servicing. The liners are degradable and fragranced.













CONTACT DETAILS





EXCEL AIRMIST ™


Metered Aerosol Fragrance Dispenser


Excel Airmist™ is available in a 250ml fragrance dispenser with programmable features which include real time programmability, service frequency settings, on and off days, alarm features and battery indicator. The patented IPE (Intensity Plus Event) function, enables fragrance intensity programming, by allowing the user up to 3 periods per day for enhanced fragrance delivery to suit location requirements. Up to *two years of battery life using Hygiene System's alkaline batteries. Excel Airmist™ delivers more neutraliser and fragrance with less propellant. This product is manufactured from 0.9mm Grade 304 Brushed Stainless Steel.

FEATURES

- 3 000 shot metered refill
- Real time program options
- Intensity Plus Event features
- Longer lasting battery life
- Automatic reset
- Lockable dispenser
- Quick set button

SCHEMATIC





SPECIFICATIONS

- Dimensions: 270mm x 110mm x 80mm
- Operates on two low cost C-cell batteries
- Effective in room sizes up to 200m³

CONSUMABLES

250ML CAN REFILLS

- Arum Lily
- Baby Breeze
- Citrus Rush
- Morning Dew
- Tranquillity
























CONTACT DETAILS



EXCEL AUTOTOWEL

Sensor Paper Dispenser





FEATURES


- Longer lasting battery life
- High quality stainless steel finish
- Transformer for mains connection
- Adjustable paper lengths 20, 24, 28 and 32cm options

220mm





SCHEMATIC



SPECIFICATIONS

Dimensions: 380mm x 340mm x 220mm

CONSUMABLES

PAPER REFILLS

- 100 Meter Laminate Paper 2ply
- 125 Meter Laminate Paper 2Ply
- 150 Meter Laminate Paper 1Ply
- 250 Meter Maxi Roll Paper
- 250 Meter Blue Maxi Roll Paper
- Highly Absorptive

















Folded Towel Paper Dispenser

This ultra slim folded towel dispenser is the answer to space limited sites. The Durable ABS plastic gives the unit a strong exterior. The unit is designed to hold 264 sheets of ultra-absorbent Interfold Laminate paper towel. The dispenser has a guick release opening system and a lockable function.




FEATURES

- Lockable
- Sleek compact design
- Holds interfold laminate paper towels

SPECIFICATIONS

Dimensions: 364mm x 220mm x 75mm

SCHEMATIC





CONSUMABLES

Interfold Laminate Paper is one of the most effective drying methods for increasing built and softness as well as strength and absorption in paper towel products.

COMPACT REFILLS

- **Ecolabel Certified**
- Paper Specifications
- 20 packs x 88 sheets
- 24gsm Size 20.5cm x 26cm















EXCEL DUAL ROLL

Toilet Paper Dispenser




The Excel Dual Roll is a lockable toilet tissue dispenser to use in space limited sites. The unit is designed to hold 2 rolls of toilet paper with an easy to use delivery system for the 2 rolls. This product is manufactured from 1.9mm Grade 304 Brushed Stainless Steel.

FEATURES

- Lockable
- Sleek slim design for restricted spaces.
- Accommodates 2 rolls of 1000 sheet toilet rolls.

SCHEMATIC

130 mm



SPECIFICATIONS

Dimensions: 273mm x 130mm x 142mm

CONSUMABLES

PAPER

The Dual roll can accommodate both your 2 ply 350 sheet toilet roll and the 1ply 500 sheet toilet roll. A integrated 2nd roll release mechanism creates ease of use for users when dispensing the new toilet roll.

PAPER REFILLS

Hygiene Systems 1 000 sheet toilet paper allows the user to store the equivalent of 4 traditional 500 sheet toilet paper rolls in one unit. This not only reduces services cycles but saves on transport and storage.















EXCEL V - DRY

Hot Air Dryer



The V-Dry hot air dryer is the new generation in commercial washroom drying systems. The V-Dry is faster, quieter, more compact and uses less power than leading hot air dryers in the market today. The V-Dry also has a power adjustment feature which allows the user to set the unit to use the most practical and ecologically friendly amount of power in the washroom. With a drying time of less than 10 seconds and innovative drying area LED lights system V-Dry is here to dominate the market.

FEATURES

- Drying time less than 10 seconds
- Power setting adjustable
- Low power usage
- Low decibel noise factor

SCHEMATIC





SPECIFICATIONS

Dimensions: 290mm x 210mm x 180mm

MEASUREMENTS

- 290mm Height
- 210mm Width
- 180mm Depth

DRYER SPECIFICATIONS

- Voltage 1.3 1.6 kW
- Air speed 140 Km per hour
- Heating element 450 900W
- Motor 18 000 R.P.M













CONTACT DETAILS



EXCEL BIG ROLL

Toilet Roll Dispenser



The Excel Big Roll Toilet Paper Dispenser is a product for use in high traffic toilet cubicles such as public bathrooms in hospitals. The dispenser holds 550 meters of non-perforated 1 ply toilet tissue ensuring the availability of toilet paper at all times of the day and reducing servicing time.


250 mm

FEATURES

- Lockable
- Can be personally branded
- Made from stainless steel to give a clean finish

124 mm

SCHEMATIC



SPECIFICATIONS

Dimensions: 255mm x 250mm x 124mm

INFOMATION

PAPER: 1 Ply GSM: 19 gsm **WEIGHT:** 6.8kgs

PACKED: 8's core: 45mm

DIMENSIONS: 400mm x 400mm x 190mm













CONTACT DETAILS





5 in 1 Soap Dispenser




Hand washing is the activity that has the single largest impact on reducing the spread of disease. The SDI can accept a choice of innovative liquid or foam pumps which provide flexibility for a choice of users preferred soap option (antibacterial, lotion, foam and alcohol hand sanitisers) without the necessity to change the entire dispenser. This product is manufactured from 0.9mm Grade 304 Brushed Stainless Steel.

FEATURES

- Choice of 5 different soaps
- Custom branding options
- Quick switch out pump system

SCHEMATIC



SPECIFICATIONS

Dimensions: 270mm x 100mm x 140mm

CONSUMABLES

SOAP VARIATIONS

- Liquid Hand Cream
- Liquid Hand Soap
- Antibacterial Foam Soap SANS 5261
- Foam Soap
- Waterless Hand Sanitiser SANS 5261
















2.5KW HAND DRYER

Automatic Hand Dryer



The 2.5kw Hand Dryer is a fully automatic hand dryer with an airspeed of 30 m/s. The dryer features a maintenance free motor. The unit is vandal resistant with tamper proof bolts and a side mounted heating element. This makes the element inaccessible through the nozzle. The unit comes in 2mm satin finish stainless steel casing or white baked enamel. A 360° swiveling nozzle allows hand and face drying. One of the safety features includes an automatic power cut feature for in case of irregular use. The unit also carries a 1 year carry in warranty.

SCHEMATIC



FEATURES

- Air speed: 30m/s
- 360° swiveling nozzle
- SABS/NRCS approved
- 1 year carry-in warrantŷ/h
- Blowing volume: 270m
- Power cut Safety Feature
- SABS letter of authority

SPECIFICATIONS

Dimensions: 270mm x 240mm x 192mm














EXCEL AUTOFLUSH

Automatic Urinal Flusher



Research as to why bad odours occur in men's washrooms has proven that most men don't flush. The EXCEL Autoflush solves this problem and reduces the risk of cross contamination. As the user approaches the urinal, the sensor picks up his presence, the unit then gives a 2 second pre flush to wet the urinal. Once the user walks away the unit flushes for either 5 or 7 seconds. This prevents the build-up of uric acid in the trap, and eliminates the opportunity for bacterial growth and bad odours to occur.

SCHEMATIC



FEATURES

- Two second pre flush
- Five second after flush
- Auto flush every 24 hours
- Sensor adjustable 65mm
- Retrofits Cobra Flushmaster

INFORMATION

Chromed Solid Brass MATERIAL:

COLOUR: Chrome **HEIGHT:** 120mm WIDTH: 80mm **DEPTH:** 80mm **WEIGHT:** 1kg














EXCEL FEMCARE

Sanitary Bin

The Excel Femcare sanitary disposal system has a compact sleek design to fit into small bathroom cubicles. A unique wall mounting option allows for regular floor cleaning access below the unit. This product is manufactured from 0.9mm Grade 304 Brushed Stainless Steel.



Made in South Africa


FEATURES


- Manual option
- Optional wall mount

SPECIFICATIONS

 Dimensions Large: 440mm x 320mm x 170mm

SCHEMATIC





CONSUMABLES

BETASAN P-MAX

P-Max is the next generation of natural germicides from the Betasan series.

Packaged: 1x200 sachets.







tear sachet















EXCEL QUADRASAN®


Automatic Urinal and Toilet Sanitiser

Quadrasan® toilet and urinal sanitiser provides the most effective automatic hygiene system that ensures clean, sanitised and odour free toilets and urinals 24hrs a day. With features that include real time programmability, service frequency settings, on and off days, alarm features and a battery indicator. The patented IPE (Intensity Plus Event) function, enables the dispenser to be programmed up to 3 additional periods per day for enhanced sanitiser fluid delivery to suit location requirements. Up to two years of battery life using alkaline batteries. This product is manufactured from 0.9mm Grade 304 Brushed Stainless Steel.

FEATURES

- 3 000 shot metered refill
- Real time program options
- Intensity Plus Event feature
- Longer lasting battery life

SCHEMATIC



SPECIFICATIONS

Dimensions: 270mm x 148mm x 75mm

CONSUMABLES

The Quadrasan® dispenser offers 2 different choices when it comes to sanitising your commercial urinals and toilets.

REFILL FEATURES

- Eco friendly bacteria based
- No chemicals
- Continuous bacteria cleaner
- 17x more effective













CONTACT DETAILS



EXCEL SAFESEAT

Surface Sanitiser



Easy to use Safeseat provides the individual with the opportunity to clean sanitise surfaces, such as toilet seats, effectively before use. The Safeseat sanitising chemical is ultra-quick drying and effective against all harmful bacteria commonly found on and around toilet fixtures.

FEATURES

- Kills 99% of Bacteria
- Fast drying
- Prevents blockage of toilets
- Custom branding available

SCHEMATIC

148mm 75mm

SPECIFICATIONS

Dimensions: 270mm x 148mm x 75mm

CONSUMABLES

Safeseat is an alcohol based surface sanitiser that kills harmful bacteria on toilet seats and other hard surface washroom surfaces. With its quick drying time and ease of use application the Safeseat dispenser out performs traditional wet wipes in the market today.

REFILL FEATURES

- Over 3333 applications per sachet
- Kills harmful bacteria
- Fast drying time
- Economical and easy to use
- Dispensed through neat slim Safeseat Dispenser
- **SANS 5261**















EXCEL SLIMLINE

Folded Towel Paper Dispenser




The Slimline dispenser is manufactured from 1.2mm Grade 304 Brushed Stainless Steel and houses Eco label approved interfold laminate paper. The dispenser has a quick release opening system and a lockable function. Slimline dispenses 1 sheet of paper at a time to prevent wastage and can be custom branded. Comes with a 2 year warranty.

FEATURES

- Lockable
- Sleek compact design
- Holds interfold laminate paper



SCHEMATIC



SPECIFICATIONS

Dimensions: 370mm x 282mm x 114mm

CONSUMABLES

Slimline interfold laminate paper towel is a high quality internationally manufactured paper product which features increase wet strength and softness within its glue laminated 42 gsm paper.

SLIMLINE SPECIFICATIONS

- Ecolabel certified
- 42 gsm laminate paper
- 21.6cm x 23cm
- 150 sheets x 16 per case













CONTACT DETAILS





Liquid Soap Dispenser




The Excel Liquid Top Up Soap Dispenser is the perfect cost effective solution for the washing of hands in away from home environments. The 1 000ml top up soap container gives the user a choice on consumables used. The pump dispenses 1.5ml per application. Lockable wall mounted dispenser. This unit carries a 12 months warranty

FEATURES

- 1 000ml sachet refill
- 1.5ml per application
- 12 months warranty

SCHEMATIC



SPECIFICATIONS

Dimensions: 208mm x 225mm x 118mm

CONSUMABLES

HXII BULK 5LT LIQUID AND ANTIBACTERIAL LIQUID SOAP

- Effective soil removal
- Excellent bactericidal properties
- Economical
- **SANS 5261**















EXCEL TR2

Toilet Roll Holder



Introducing the Excel TR2 unit, a manual surface mounted toilet paper dispenser housing 2 toilet rolls. The TR2 is suited for high traffic areas, since the model is suitable for public use. Consisting of a mild stainless steel one-piece body, the TR2 features a 1 mm wall thickness and is fully sealed. It includes a lock system with 1 standard key that allows opening the lid for replenishment and a frontal sight-hole indicate refill time. There is no need to open the lid for the removal of empty rolls. Also available in mild steel white epoxy.

273 mm

142 mm

SCHEMATIC



SPECIFICATIONS

Dimensions: 273mm x 130mm x 142mm

FEATURES

- Lockable
- Easy to install
- Holds 2 toilet rolls
- 1 mm wall thickness
- Frontal sight-hole indicate refill time
- Mild stainless steel one-piece body
- No need to open the lid for the removal of empty rolls
- Anti-theft design













CONTACT DETAILS



EXCEL TR3


Toilet Roll Holder



Introducing the Excel TR3 unit, a manual surface mounted toilet paper dispenser housing 3 toilet rolls. The TR3 is suited for high traffic areas and consisting of a Stainless Steel one-piece body. The TR3 features a 1 mm wall thickness and is fully sealed. It includes a lock system with 1 standard key that allows opening the lid for replenishment and a frontal sight-hole indicate refill time. There is no need to open the lid for the removal of empty rolls. Also available in mild steel white epoxy.

380 mm

SCHEMATIC



SPECIFICATIONS

Dimensions: 380mm x 130mm x 142mm

FEATURES

- Lockable
- Easy to install
- Holds 3 toilet rolls
- 1 mm wall thickness
- Frontal sight-hole indicate refill time
- Stainless steel one-piece body
- No need to open the lid for the removal of empty rolls













CONTACT DETAILS






Toilet Roll Holder



Introducing the Excel TR5 unit, a manual surface mounted toilet paper dispenser housing 5 toilet rolls. The TR5 is suited for extremely high traffic areas, since the model is suitable for public use. Consisting of a mild stainless steel one-piece body, the TR5 features a 1 mm wall thickness and is fully sealed. It includes a lock system with 1 standard key that allows opening the lid for replenishment and a frontal sight-hole indicate refill time. There is no need to open the lid for the removal of empty rolls. Also available in mild steel white epoxy.

SCHEMATIC



SPECIFICATIONS

Dimensions: 570mm x 130mm x 142mm

FEATURES

- Lockable
- Easy to install
- Holds 5 toilet rolls
- 1 mm wall thickness
- Frontal sight-hole indicate refill time
- Mild stainless steel one-piece body
- No need to open the lid for the removal of empty rolls
- Anti-theft design













CONTACT DETAILS



EXCEL AUTOTOWEL

Tear and Go Paper Dispenser



The Excel Autotowel Tear and Go is a stylish paper towel dispensing system to compliment the rest of the EXCEL Range. It is made from Grade 304 1.2mm brushed stainless steel finish and carries a 5 year warranty.

FEATURES

- Longer lasting battery life
- High quality stainless steel finish
- Transformer for mains connection
- Adjustable paper lengths 20, 24, 28 and 32cm options

220mm

SCHEMATIC



SPECIFICATIONS

Dimensions: 380mm x 340mm x 220mm





CONSUMABLES

PAPER REFILLS

- 100 Meter Laminate Paper 2ply
- 125 Meter Laminate Paper 2Ply
- 150 Meter Laminate Paper 1Ply
- 250 Meter Maxi Roll Paper
- 250 Meter Blue Maxi Roll Paper
- Highly Absorptive











