

SLIMLINE

Folded Towel Paper Dispenser

The Slimline dispenser is made of durable ABS plastic and houses Eco label approved interfold laminate paper. The dispenser has a quick release opening system and a lockable function. Slimline dispenses 1 sheet of paper at a time to prevent wastage and can be custom branded. Comes with a 2 year warranty.



HD/36 Slimline Paper Dispenser

FEATURES


- Lockable
- Sleek compact design
- Hold interfold laminate paper

SPECIFICATIONS

Dimensions: 375mm x 275mm x 115mm

SCHEMATIC







CONSUMABLES

SLIMLINE SPECIFICATIONS

















SD/36 HXII Manual Dispenser

HXII MANUAL


Foam and Liquid Soap Dispenser

The HXII Manual soap dispenser has the ability to dispense liquid, foam, antibacterial liquid, antibacterial foam and waterless gel formulations through a sealed cartridge and pump system all in one dispenser. The 0,4ml pump has the ability to dispense 1 750 applications from the 700ml cartridge. A unique feature of the manual unit is the retrofit counter designed for back of house hospitality and medical applications that registers the number of hand washes over a period of time. A retrofit elbow bracket is also available for the manual unit.

FEATURES

- Option of sensor and manual
- Retrofit counter and elbow bracket

SCHEMATIC



SPECIFICATIONS

Dimensions: 260mm x 115mm x 105mm

CONSUMABLES

SOAP VARIATIONS















COMPACT

Folded Towel Paper Dispenser

This ultra slim folded towel dispenser is the answer to space limited sites. The Durable ABS plastic gives the unit a strong exterior. The unit is designed to hold 264 sheets of ultra-absorbent Interfold Laminate paper towel. The dispenser has a quick release opening system and a lockable function.



HD/35 Compact Paper Towel Dispenser

FEATURES


- Lockable
- Sleek compact design
- Holds interfold laminate paper towels

SPECIFICATIONS

Dimensions: 380mm x 230mm x 80mm

SCHEMATIC







CONSUMABLES

COMPACT REFILLS

















US/22 Quadrasan Auto Sanitiser

QUADRASAN®


Automatic Urinal and Toilet Sanitiser

Quadrasan® toilet and urinal sanitiser provides the most effective automatic hygiene system that ensures clean, sanitised and odour free toilets and urinals 24hrs a day. With features that include real time programmability, service frequency settings, on and off days, alarm features and a battery indicator. The patented IPE (Intensity Plus Event) function, enables the dispenser to be programmed up to 3 additional periods per day for enhanced sanitiser fluid delivery to suit location requirements. Up to two years of battery life using alkaline batteries.

FEATURES

- 3 000 shot metered refill
- Real time program options
- Intensity Plus Event feature
- Longer lasting battery life

SCHEMATIC



SPECIFICATIONS

Dimensions: 228mm x 120mm x 86mm

CONSUMABLES

REFILL FEATURES















SAFESEAT

Surface Sanitiser


Easy to use Safeseat provides the individual with the opportunity to clean sanitise surfaces, such as toilet seats, effectively before use. The Safeseat sanitising chemical is ultra-quick drying and effective against all harmful bacteria commonly found on and around toilet fixtures.

WD/18 Safeseat Surface Sanitiser

FEATURES

- Kills 99% of bacteria
- Fast drying
- Prevents blockage of toilets
- Custom branding available

SCHEMATIC



SPECIFICATIONS

Dimensions: 245mm x 115mm x 80mm

CONSUMABLES

REFILL FEATURES















SW/03 Femcare Sanitary Bin Sensor

FEMCARE

Sensor Sanitary Disposal Bin

The Femcare sanitary disposal system available in both manual and sensor options. The one piece slimline design ensures installation is possible in even the smallest cubicle. A unique wall mounting option allows for regular floor cleaning access below the unit. Colour coded accountability system helps to ensure that the unit is serviced correctly. The removable discretionary chute made from durable polypropylene plastic can be changed at regular intervals to ensure maximum hygiene.

FEATURES

- Option of sensor & manual
- Optional wall mount
- Colour coding system

COLOUR CODED SERVICE SYSTEM


Colour coded liners & clips to assist servicing






SC/15 - 18 Femcare Liners

SCHEMATIC



CONSUMABLES

BETASAN P-MAX







empty and drop in











CONTACT DETAILS



DUAL ROLL


Toilet Paper Dispenser

This sleek designed Dual Roll toilet paper dispenser is the answer to space limited sites. Durable ABS plastic gives the unit a strong exterior. Dual Roll unit is designed to hold 2 rolls of 1 000 sheet toilet paper. The unit is lockable with an easy to use delivery system for the second toilet paper roll.

FEATURES

- Sleek slim design for restricted spaces
- Accommodates 2 rolls of 1000 sheet toilet paper
- Lockable
- Custom branding options

SCHEMATIC



SPECIFICATIONS

 Dimensions: 275mm x 135mm x 145mm



CONSUMABLES

PAPER REFILLS
















V - DRY

Hot Air Dryer





HD/17 V-Dry White Hot Air Dryer

FEATURES

- Drying time less than 10 seconds
- Power setting adjustable
- Low power usage
- Low decibel noise factor

SCHEMATIC





SPECIFICATIONS

Dimensions: 290mm x 210mm x 180mm

MEASUREMENTS

DRYER SPECIFICATIONS













CONTACT DETAILS



2.5KW DRYER


Automatic Hand Dryer



HD/34 white 2.5kw Hot Air Dryer

The 2.5kw Hand Dryer is a fully automatic hand dryer with an airspeed of 30 m/s. The dryer features a maintenance free motor. The unit is vandal resistant with tamper proof bolts and a side mounted heating element. This makes the element inaccessible through the nozzle. The unit comes in 2mm Satin finish Stainless Steel casing or White Baked Enamel. A 360° swiveling nozzle allows hand and face drying. One of the safety features includes an automatic power cut feature for in case of irregular use. The unit also carries a 1 year carry in warranty.

SCHEMATIC



FEATURES

SPECIFICATIONS
















AF/08 Omniscent Ozone Dispenser

OMNISCENT®

Large Area Fragrance Dispenser

Omniscent® unlike conventional aerosol fragrance systems has been designed for use in far larger areas such as hotel foyers and reception areas, conference and convention centers, retail areas and showrooms, airports and many more. The Omniscent system works by utilizing ceramic cartridge technology instead of an aerosol refill and provides the user with both control of output and intensity of fragrance. The disposable ceramic block is gently heated within the unit and fragrance is dispersed via an internal fan. This gives a large and uniform fragrance coverage over an area of up to 500m³ which is 10 -12 times that of the area covered by conventional aerosol dispensers. The ceramic cartridge blocks are biodegradable and environmentally friendly, whilst being safe to handle and easily replaceable.

SCHEMATIC



SPECIFICATIONS

Dimensions: 260mm x 250mm x 110mm

FEATURES

FRAGRANCE OPTIONS















PROZONE®


Ozone Generating Air Sanitiser



AF/05 Prozone Ozone Genetrator

Airborne microorganisms are a common source of respiratory infection and are of particular threat to people with asthma. Some serious infectious diseases can be easily spread by airborne micro-organisms. In nature air purification is produced by the action of high energy discharges in lightening on oxygen, creating O³ within the atmosphere. The air purification service from Hygiene Systems recreates this natural process. The purified air produced destroys harmful micro-organisms with which it comes into contact and breaks down malodour causing compounds neutralizing the unpleasant smells they produce. Because the purified air is a gas it penetrates to even the most inaccessible locations. The process leaves no chemical residue, all 'unused' purified air reverts back to oxygen within a short time. Prozone® ozone generator cleans, rejuvenates and refreshing the air in your office, home or healthcare environment.

SCHEMATIC



SPECIFICATIONS

- Dimensions: 210mm x 135mm x 85mm
- Capacity: Adjustable settings to match room sizes up to 150m³
- Material: Fire retardant ABS

AF/10 Prozone Ceramic Plate

BENEFITS

SUMMARY












FEATURES

OZONE PRODUCTION







SD/56 HXII Sensor Dispenser

HXII SENSOR


Foam and Liquid Soap Dispenser

The HXII Sensor soap dispenser has the ability to dispense liquid, foam, antibacterial liquid, antibacterial foam and waterless gel formulations through a sealed cartridge and pump system all in one dispenser. The 0,4ml pump has the ability to dispense 1 750 applications from the 700ml cartridge. A unique feature of the sensor unit is the retrofit counter designed for back of house hospitality and medical applications that registers the number of hand washes over a period of time.

FEATURES

- Option of sensor and manual
- Retrofit counter

SCHEMATIC



SPECIFICATIONS

Dimensions: 265mm x 115mm x 125mm

CONSUMABLES

SOAP VARIATIONS

















AF/31 Airmist Dispenser

AIRMIST TM

Metered Aerosol Fragrance Dispenser

Airmist[™] fragrance dispenser is available in 250ml and 100ml variations with the same programmable features which include real time programmability, service frequency settings, on and off days, alarm features and a battery indicator. The patented IPE (Intensity Plus Event) function, enables fragrance intensity programming, by allowing the user up to 3 periods per day for enhanced fragrance delivery to suit location requirements. Up to two* years of battery life using Hygiene System's alkaline batteries. Airmist™ delivers more neutraliser and fragrance with less propellant.

FEATURES

- 3 000 shot metered refill
- Real time program options
- Intensity Plus Event feature
- Longer lasting battery life
- Automatic reset
- Visible countdown clock
- Lockable dispenser
- Quick set button

SCHEMATIC



SPECIFICATIONS

- Dimensions: 242mm x 97mm x 85mm
- Operates on two low cost C-cell batteries
- Effective in room sizes up to 200m³

CONSUMABLES

250ML CAN REFILLS

100ML CAN REFILLS













CONTACT DETAILS





SW/20 Wastecare Paper Baste Bin

WASTECARE

Paper Waste Bin

The newly developed Wastecare Bin brings an industry first innovation to the washroom to take care of unsightly paper waste. Its stylish flowing lines will match most paper dispensers. Unique features include the clip out waste chute made from polypropylene plastic that allows for easy cleaning and can be interchanged for another colour to compliment most washrooms. The built in continuous roll of degradable fragranced liners makes for easy bag removal and reload. The quick release lock mechanism doubles as a manual compactor allowing for a greater volume of waste to be disposed of.

FEATURES

- Removable chute
- Wall mountable
- Built in liners
- Lockable mechanism and compactor

SCHEMATIC



SPECIFICATIONS

Dimensions: 640mm x 330mm x 240mm

CONSUMABLES

LINER REFILLS













CONTACT DETAILS





Manual Sanitary Disposal Bin

The Femcare sanitary disposal system available in both manual and sensor options. The one piece slimline design ensures installation is possible in even the smallest cubicle. A unique wall mounting option allows for regular floor cleaning access below the unit. Colour coded accountability system helps to ensure that the unit is serviced correctly. The removable discretionary chute made from durable polypropylene plastic can be changed at regular intervals to ensure maximum hygiene.

FEATURES

- Option of sensor & manual
- Optional wall mount
- Colour coding system

COLOUR CODED SERVICE SYSTEM


Colour coded liners & clips to assist servicing





SC/15 - 18 Femcare Liners

SCHEMATIC



SW/01x Femcare Sanitary Bin Manual

CONSUMABLES

BETASAN P-MAX















MINI TOWEL

Manual Paper Dispenser

The NEW MiniTowel Paper Dispenser is 30% smaller and can hold up to 100% more paper than the original Autotowel unit. The MiniTowel carries between 125 meters and 250 meters of Autotowel laminate paper. Ideal for space restricted areas - the new MiniTowel is easy on the pocket and on the eye. The MiniTowel unit is a thoroughly tested unit in Europe by the manufacturer of the Autotowel laminate paper. This promises quality and a smooth operating system. Autotowel Paper is a luxurious, highly absorbent paper towel for commercial, medical and industrial washrooms. The MiniTowel Dispenser not only delivers exceptional usage but also superior quality.




HD/58 Mini Towel Manual Dispenser

FEATURES

- 30% Smaller
- Holds up to 100% paper
- Custom branding options
- Operation of the system is silent and smooth

SCHEMATIC



SPECIFICATIONS

Dimensions: 350mm x 300mm x 230mm

CONSUMABLES

PAPER REFILLS













CONTACT DETAILS






Toilet Roll Holder



Introducing the TR5 unit, a manual surface mounted toilet paper dispenser housing 5 toilet rolls. The TR5 is suited for high traffic areas, since the model is suitable for public use. Consisting of a mild steel white epoxy coated one-piece body, the TR5 features a 1 mm wall thickness and is fully sealed. It includes a lock system with 1 standard key that allows opening the lid for replenishment and a frontal sight-hole indicate refill time. There is no need to open the lid for the removal of empty rolls. Also available in Stainless Steel.

SCHEMATIC



SPECIFICATIONS

Dimensions: 570mm x 130mm x 142mm

FEATURES

















TR3

Toilet Roll Holder


Introducing the TR3 unit, a manual surface mounted toilet paper dispenser housing 3 toilet rolls. The TR3 is suited for high traffic areas and consisting of a mild steel white epoxy coated onepiece body. The TR3 features a 1 mm wall thickness and is fully sealed. It includes a lock system with 1 standard key that allows opening the lid for replenishment and a frontal sight-hole indicate refill time. There is no need to open the lid for the removal of empty rolls. Also available in Stainless Steel.

SCHEMATIC



SPECIFICATIONS

Dimensions: 380mm x 130mm x 142mm



TR/03 white epoxy Toilet Roll dispenser

FEATURES















TR2

Toilet Roll Holder




TR/02 white epoxy Toilet Roll dispenser

Introducing the TR2 unit, a manual surface mounted toilet paper dispenser housing 2 toilet rolls. The TR2 is suited for high traffic areas, since the model is suitable for public use. Consisting of a mild steel white epoxy coated one-piece body, the TR2 features a 1 mm wall thickness and is fully sealed. It includes a lock system with 1 standard key that allows opening the lid for replenishment and a frontal sight-hole indicate refill time. There is no need to open the lid for the removal of empty rolls. Also available in Stainless Steel.

273 mm

SCHEMATIC



SPECIFICATIONS

Dimensions: 273mm x 130mm x 142mm

FEATURES











